


- GENERAL NOTES**
- THIS DRAWING SHOULD NOT BE REPRODUCED IN WHOLE OR PART WITHOUT THE WRITTEN CONSENT OF LINK ENGINEERING.
  - DO NOT SCALE FROM THIS DRAWING. UNITS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
  - THE CONTRACTOR IS TO CHECK ALL INFORMATION PROVIDED PRIOR TO COMMENCING WORKS AND SEEK CLARIFICATION FROM THE ENGINEER IN RESPECT TO ANY AMBIGUITIES FOUND.
  - THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL OTHER SCHEME SPECIFIC DRAWINGS.
  - PAVEMENT SURFACING AND FOUNDATIONS SHALL BE DESIGNED IN ACCORDANCE WITH THE DEPARTMENT FOR TRANSPORT'S DESIGN MANUAL FOR ROADS AND BRIDGES AND SHALL COMPLY WITH THE ADOPTING LOCAL HIGHWAY AUTHORITY'S DESIGN GUIDANCES WHERE APPLICABLE, FOLLOWING A FULL SITE INVESTIGATION TO ESTABLISH GROUND CONDITIONS.
  - ALL TRAFFIC SIGNS AND ROAD MARKINGS SHALL BE PROVIDED IN ACCORDANCE WITH THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016 (INCLUDING SUBSEQUENT AMENDMENTS 1 & 2) AND THE CORRESPONDING TRAFFIC SIGNS MANUALS.
  - ALL ADAPTABLE STREET LIGHTING SHALL BE DESIGNED IN ACCORDANCE WITH THE ADOPTING LOCAL HIGHWAY AUTHORITY'S DESIGN GUIDANCES WHERE APPLICABLE. LIGHTING SHALL BE DESIGNED TO BS 5489 (2013) AND BS EN 13201 (2015) FOR THE APPROPRIATE ROUTE CLASSIFICATION.
  - ALL ADAPTABLE HIGHWAY WORKS SHALL BE ADOPTED VIA THE HIGHWAY AUTHORITY ACT 1980.
  - FOUL AND SURFACE WATER DRAINAGE STRATEGIES SHALL BE DESIGNED IN STRICT ACCORDANCE WITH THE SITE SPECIFIC FLOOD RISK ASSESSMENT RECOMMENDATIONS.
  - ALL ADAPTABLE DRAINAGE WORKS SHALL BE DESIGNED IN ACCORDANCE WITH "SEWERS FOR ADOPTION" 6th EDITION, THE "CIVIL ENGINEERING SPECIFICATION FOR THE WATER INDUSTRY" 6th EDITION AND ANY SUBSEQUENT AMENDMENTS TO THESE DOCUMENTS AS ADVISED.
  - ALL ADAPTABLE DRAINAGE WORKS SHALL BE ADOPTED VIA THE WATER INDUSTRY ACT 1991.
  - ALL PRIVATE WORKS SHALL BE DESIGNED TO THEIR RESPECTIVE PARTS OF BUILDING REGULATIONS.
  - FOR FINAL DEVELOPMENT LAYOUT AND LANDSCAPING PROPOSALS, SEE ARCHITECT'S PLANS.
  - PLANTING OR ANY OBSTRUCTIONS OF ANY KIND (OTHER THAN ESSENTIAL STREET FURNITURE) ARE PERMITTED WITHIN THE CARRIAGEWAY VISIBILITY SPLAYS.
  - ALL EARTHWORK SLOPES TO BE A MINIMUM 1 IN 3 OR UNLESS ADVISED OTHERWISE WITHIN SPECIFIC SITE INVESTIGATION DESIGN REPORT TO BE PROVIDED.
  - ALL SIGNAGE TO BE IN ACCORDANCE WITH TSREGD.



A	FOUL UPDATED TO 150mm PIPES AND EASEMENT ADDED	13.10.23	BL
-	INITIAL ISSUE.	10.10.23	BL
Rev.	Amendments	Date	By

Revisions

Client

**HAYFIELD**

**Link**  
ENGINEERING  
Find us @ [www.linkeng.co.uk](http://www.linkeng.co.uk)

Project  
**LE23827  
BERRROW GREEN  
MARTLEY**

Drawing  
**PROPOSED DRAINAGE  
STRATEGY PLAN**

Scale @ A1  
1:500

Drawn	Checked	Rev
BL	FJ	A

BMM-LEGEN-XX-DR-CE-001 PLANNING (S)